

## [Skip navigation](#)

  

- 
- 
- 

- [News](#)
- [Downloads](#)
- [Career](#)
- [Contact](#)

-

- [Filter Units](#)
  - [Pocket filter](#)
    - [INFA-JET AJN](#)
  - [Cartridge filter](#)
    - [Cartridge filter INFA-JETRON IPF](#)
    - [INFA-MINI-JET AJM](#)
    - [INFA-VARIO-JET AJV](#)
  - [Bag filter](#)
    - [INFA-VARIO-JET AJV](#)
    - [INFA-MINI-JET AJM](#)
  - [Pleated element filter](#)
    - [INFA-LAMELLEN-JET AJL](#)
    - [INFA-LAMELLEN-JET AJL Duo](#)
  - [HEPA filter](#)
    - [INFA-MICRON MKR](#)
    - [INFA-MICRON MPR](#)
  - [Shaking filter](#)
    - [INFA-MAT AM](#)
    - [INFA-BOY IFB](#)
  - [Top filter](#)
    - [Infa-Mat AM204](#)
    - [Infa-Vario-Jet IPV](#)
    - [Top filter INFA-JETRON AJP ..2](#)
    - [Silo filter INFA-JETRON AJB](#)
    - [Silo filter INFA-JETRON AJP](#)
  - [Special applications](#)
    - [INFA-INLINE-FILTER INF](#)
    - [Dust-controlled bag dumping](#)
- [Solutions](#)
  - [Industries](#)
    - [Stones, soils, minerals](#)
    - [Cement, lime, gypsum](#)
    - [Steel, iron, NF metals](#)

- [Food products](#)
  - [Chemistry, pharmaceutical industry](#)
  - [Energy](#)
  - [Recycling, disposal](#)
  - [Glass, ceramic industry](#)
  - [Paints, lacquers, surfaces](#)
  - [Plastics](#)
- [Applications](#)
  - [Dedusting tablet production](#)
  - [Dedusting sack emptying](#)
  - [Dedusting conveyors](#)
  - [Dedusting waste recycling](#)
  - [Dedusting working places](#)
  - [Dedusting production of baby food](#)
  - [Dedusting glass production](#)
  - [Dedusting wood working](#)
  - [Dedusting mixing and filling plants](#)
  - [Dedusting radioactive residues](#)
  - [Dedusting recycling materials](#)
  - [Dedusting ship unloading](#)
  - [Silo dedusting](#)
  - [Dedusting spray drying](#)
  - [Dedusting steel production](#)
  - [Dedusting plastics](#)
- [Service](#)
  - [Service features](#)
  - [Spare parts service](#)
  - [Downloads](#)
  - [Downloads Powtech 2023](#)
- [Knowledge of dust removal](#)
  - [Encyclopaedia about dedusting](#)
    - [Dedusting](#)
    - [Planning](#)
    - [Depth filter](#)
    - [Cleanable filter](#)
    - [Filter cleaning](#)
    - [Explosion protection](#)
    - [Filter media](#)
    - [Containment](#)
    - [Legal regulations](#)
  - [Glossary](#)
  - [Bulk densities](#)
- [Company](#)
  - [About us](#)
    - [Job & Karriere](#)
    - [History](#)
    - [Videos](#)

- [Infastaub news](#)
  - [News](#)
  - [Fair dates](#)
  - [Newsletter](#)
- [Contact](#)
  - [Infastaub GmbH](#)
  - [Infastaub worldwide](#)
  - [Contact form](#)
- [News](#)
- [Downloads](#)
- [Career](#)
- [Contact](#)
- [Infastaub.de](#)
- [Company](#)
- [Infastaub news](#)
- [News](#)

## News

### Disposal of ammunition

12.03.2018 News

Some projects are simply more exciting than others because of their theme. Disposal of useless or no longer required ammunition is certainly one of these projects.

Some projects are simply more exciting than others because of their theme. Disposal of useless or no longer required ammunition is certainly one of these projects. The ammunition is entirely destroyed in disposal facilities by blasting or thermal disposal. The flue gas, which is generated within the waste incinerator, contains harmful substances and toxic compounds. It needs to be treated in a way that all required emission values are met.

In his Swedish disposal plant, a leading supplier for ammunition destruction has improved the exhaust gas cleaning of a blasting furnace and rotary kiln by extension of the flue gas cleaning. Furthermore the old existing dust filter was replaced.

Infastaub has delivered two filter units for these demands. At first separation of soot and dust particles is carried out by a bag filter type Infa-Mini-Jet AJM in a special high temperature design for max. 180 °C. Filter media of the bag filter are made out of a Nomex needle felt. The also have a special acidproof finishing.

A further 3-chamber pocket filter type Infa-Jet AJN is downstream a dosing unit that inserts

the additive (mixed powder out of calcium hydroxide and active carbon that binds acids and heavy metal ions by sorption). The pocket filter separates lime, soot and dust particles before entering the subsequent combustion chamber. Because of the demanded increased pressure resistance, the filter housing is designed in a reinforced version.

Both filter units are designed to achieve a residual dust content  $< 10 \text{ mg/m}^3$ .



## Market place

You find the market place for used filter units here.

## Downloads

You find all manuals PDF files [here](#).

## Trade fairs

You find all upcoming fair dates [here](#).

## Newsletter

Sign up here for our [newsletter](#) and make sure to receive free tickets for our trade fairs.

## Filter Units

- [Pocket filter](#)
- [Cartridge filter](#)
- [Bag filter](#)
- [Pleated element filter](#)
- [HEPA filter](#)
- [Shaking filter](#)

- [Top filter](#)
- [Special applications](#)

## **Solutions**

- [Industries](#)
- [Dedusting tablet production](#)
- [Dedusting sack emptying](#)
- [Dedusting waste recycling](#)
- [Dedusting production of baby food](#)
- [Dedusting ship unloading](#)
- [Silo dedusting](#)
- [Dedusting steel production](#)

## **After-Sales**

- [Service features](#)
- [Spare parts service](#)
- [News](#)

## **Dust Removal Knowledge**

- [Encyclopaedia about dedusting](#)
- [Planning](#)
- [Cleanable filter](#)
- [Depth filter](#)
- [Explosion protection](#)
- [Filter media](#)
- [Legal regulations](#)
- [Glossary](#)

## **Company**

- [Contact](#)
- [Legal notice](#)
- [General terms and conditions](#)

## **News**

- [News](#)
- [Newsletter](#)

## Downloads

- [Infastaub.de](http://Infastaub.de)

## Contact

Infastaub GmbH

Niederstedter Weg 19  
61348 Bad Homburg v.d.H.  
Tel.: +49 6172 3098-0  
Fax: +49 6172 3098-90

[infa@infastaub.de](mailto:infa@infastaub.de)

- [Imprint](#)
- |
- [Legal notice](#)
- |
- [Hinweisgebersystem](#)
- |
- [General terms and conditions](#)
- |
- [Site map](#)

Copyright © Infastaub GmbH