

[Skip navigation](#)

- 
- 
- 

- [News](#)
- [Downloads](#)
- [Career](#)
- [Contact](#)

-

- [Filter Units](#)
 - [Pocket filter](#)
 - [INFA-JET AJN](#)
 - [Cartridge filter](#)
 - [Cartridge filter INFA-JETRON IPF](#)
 - [INFA-MINI-JET AJM](#)
 - [INFA-VARIO-JET AJV](#)
 - [Bag filter](#)
 - [INFA-VARIO-JET AJV](#)
 - [INFA-MINI-JET AJM](#)
 - [Pleated element filter](#)
 - [INFA-LAMELLEN-JET AJL](#)
 - [INFA-LAMELLEN-JET AJL Duo](#)
 - [HEPA filter](#)
 - [INFA-MICRON MKR](#)
 - [INFA-MICRON MPR](#)
 - [Shaking filter](#)
 - [INFA-MAT AM](#)
 - [INFA-BOY IFB](#)
 - [Top filter](#)
 - [Infa-Mat AM204](#)
 - [Infa-Vario-Jet IPV](#)
 - [Top filter INFA-JETRON AJP ..2](#)
 - [Silo filter INFA-JETRON AJB](#)
 - [Silo filter INFA-JETRON AJP](#)
 - [Special applications](#)
 - [INFA-INLINE-FILTER INF](#)
 - [INFA-POWTRON BKF](#)
 - [Dust-contolled bag dumping](#)
- [Solutions](#)
 - [Industries](#)
 - [Stones, soils, minerals](#)
 - [Cement, lime, gypsum](#)

- [Steel, iron, NF metals](#)
- [Food products](#)
- [Chemistry, pharmaceutical industry](#)
- [Energy](#)
- [Recycling, disposal](#)
- [Glass, ceramic industry](#)
- [Paints, lacquers, surfaces](#)
- [Plastics](#)
- [Applications](#)
 - [Dedusting tablet production](#)
 - [Dedusting sack emptying](#)
 - [Dedusting conveyors](#)
 - [Dedusting waste recycling](#)
 - [Dedusting working places](#)
 - [Dedusting production of baby food](#)
 - [Dedusting glass production](#)
 - [Dedusting wood working](#)
 - [Dedusting mixing and filling plants](#)
 - [Dedusting radioactive residues](#)
 - [Dedusting recycling materials](#)
 - [Dedusting ship unloading](#)
 - [Silo dedusting](#)
 - [Dedusting spray drying](#)
 - [Dedusting steel production](#)
 - [Dedusting plastics](#)
- [Service](#)
 - [Service features](#)
 - [Spare parts service](#)
 - [Downloads](#)
- [Knowledge of dust removal](#)
 - [Encyclopaedia about dedusting](#)
 - [Dedusting](#)
 - [Planning](#)
 - [Depth filter](#)
 - [Cleanable filter](#)
 - [Filter cleaning](#)
 - [Explosion protection](#)
 - [Filter media](#)
 - [Containment](#)
 - [Legal regulations](#)
 - [Glossary](#)
 - [Bulk densities](#)
- [Company](#)
 - [About us](#)
 - [Job & Karriere](#)
 - [History](#)
 - [Videos](#)

- [Imprint](#)
 - [Infastaub news](#)
 - [News](#)
 - [Fair dates](#)
 - [Newsletter](#)
 - [Contact](#)
 - [Infastaub GmbH](#)
 - [Infastaub worldwide](#)
 - [Contact form](#)
-
- [News](#)
 - [Downloads](#)
 - [Career](#)
 - [Contact](#)
-
- [Infastaub.de](#)
 - [Filter Units](#)
 - [Top filter](#)
 - [Infa-Vario-Jet IPV](#)



Silo filter INFA-VARIO-JET IPV

- [Highlights](#)
- [Standard design features](#)
- [Options](#)

Highlights

The Infa-Vario-Jet IPV is a fully automatic silo filter for dust separating of exhaust air from silos or containers, e. g. during filling by pneumatic pressure. Assembly and maintenance are easy to handle. The silo filter is characterized by durability and reliability. Among manifold optional features, a design for low temperature to -40 °C is as well available as a version for use when producing food. All components in contact with the product are approved according to regulations EU 1935/2004 and EU10/20

Standard design features

- Silo-top filter with pneumatic cleaning unit
- Pneumatic jet-pulse cleaning for continuous operating
 - Standard: +/- 50 mbar, up to 80°C, explosion pressure shock resistant up to 2 bar according to DIN EN 14460
- Explosion protected design according to directive 2014/34/EU (ATEX)
- filter housing and all components in contact with the product / dust made of stainless steel
- Balanced ratio between filter surface and housing dimension for support of maximum conveyor performance
- Optionally filter cartridges or filter bags

Options

- Electronic control unit for filter cleaning controlled by time cycle or differential pressure with lag
- Clean gas outlet with protective grid
- Hot gas design up to 130 °C
- Filter media available in different qualities (e.g suitable for food according to regulation EU 1935/2005 and EU 10/2011)
- Sound absorbing accessories for use in noise-sensitive environments

Downloads

- [Maßblätter Infa-Vario-Jet IPV](#)
- [Information brochure](#)

Your contact person

Market place

You find the market place for used filter units here.

Downloads

You find all manuals PDF files [here](#).

Trade fairs

You find all upcoming fair dates [here](#).

Newsletter

Sign up here for our [newsletter](#) and make sure to receive free tickets for our trade fairs.

Filter Units

- [Pocket filter](#)
- [Cartridge filter](#)
- [Bag filter](#)
- [Pleated element filter](#)
- [HEPA filter](#)
- [Shaking filter](#)
- [Top filter](#)
- [Special applications](#)

Solutions

- [Industries](#)
- [Dedusting tablet production](#)
- [Dedusting sack emptying](#)
- [Dedusting waste recycling](#)
- [Dedusting production of baby food](#)
- [Dedusting ship unloading](#)
- [Silo dedusting](#)
- [Dedusting steel production](#)

After-Sales

- [Service features](#)
- [Spare parts service](#)
- [News](#)

Dust Removal Knowledge

- [Encyclopaedia about dedusting](#)
- [Planning](#)
- [Cleanable filter](#)
- [Depth filter](#)
- [Explosion protection](#)
- [Filter media](#)
- [Legal regulations](#)
- [Glossary](#)

Company

- [Contact](#)
- [Legal notice](#)
- [General terms and conditions](#)

News

- [News](#)
- [Newsletter](#)

Downloads

- [Infastaub.de](#)

Contact

Infastaub GmbH

Niederstedter Weg 19
61348 Bad Homburg v.d.H.
Tel.: +49 6172 3098-0
Fax: +49 6172 3098-90

infa@infastaub.de

- [Imprint](#)
- |
- [Legal notice](#)
- |
- [General terms and conditions](#)

- |
- [Site map](#)

Copyright © Infastaub GmbH